

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 07-140658

(43)Date of publication of application : 02.06.1995

(51)Int.Cl.

G03F 7/038

C08K 5/17

C08K 5/33

C08L 79/08

G03F 7/039

H01L 21/02

(21)Application number : 05-152411

(71)Applicant : TORAY IND INC

(22)Date of filing : 23.06.1993


(72)Inventor : TAMURA KAZUTAKA  
EGUCHI MASUICHI  
ASANO MASAYA

## (54) PHOTSENSITIVE POLYIMIDE PRECURSOR COMPOSITION FOR I-LINE

(57)Abstract:

PURPOSE: To obtain a high-sensitivity photosensitive polyimide precursor composition without using a sensitizer, to facilitate production, to attain excellent performance as a negative type and a positive type and to improve the physical film property after imination by incorporating specified polymer, compd. and oxime compd.

CONSTITUTION: A polymer with a structural unit shown by formula I as the main component, a compd. having an ethylenic unsaturated double bond and an oxime compd. shown by formula II are incorporated. In formula I, R1 is a 3 or 4-valance org. group having at least two carbon atoms, R2 is a bivalent org. group having at least two carbon atoms, R3 is hydrogen, alkali metal ion, etc., and (n) is 1 or 2. In formula II, R4 is 1-10C alkyls, 5-10C cycloalkyls, etc., R5 is hydrogen atom, 1-10C alkyls, etc., and R6 is 1-10C alkyls, 1-10C alkoxy, etc.



## LEGAL STATUS

[Date of request for examination] 31.03.1997

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number] 2962103

[Date of registration] 06.08.1999

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]